HOPIC Sori	et Troops in Cerled an	d Szelnok	REPORT NO	25X
Box 2000 Market Market 100 to	THE PART OF THE SECOND CONTROL OF THE SECOND	Manual Property and Committee of Committee o		
EVALUATION		ACE OBTAINED_		25X1
A DATE OF CONTE		AND ADDRESS AND AD		
DATE OFFAINED.		DATE PRI	PARED 20 September	or 1951
REFERENCES.	A-C-1-1 Conference of the second seco	Charles de la company de la co	emilian film dissellations - a Millian Maria, esc. de vilante est a superiori miliante particular que esta de s	
PAGES3_	ENCLOSURES (NO. &	TYPE)_		1300000,000
HIMARKS	die ver de strauten des 17 partie kontrolle gebruik verworde van de van bestemmen van politik in terminalistik	· 1985年,在北京市场中,大学的企业中,大学市场中,大学市场的企业。		
erri san dike rasionikan kan kengal debahan kengal dike	T No. 91 Ch-shinishin yancu i ragʻan-ta vis hipturlannu uz baq sahir-ha gʻat istorbu. 1-1			
ボドップ 小衛を パーセンタ、(教育な)・私の私食・切締を per / Pe 196 (Medical)	(3) - G. H. Saller grade, et als a final stage disease process resource state sense i vidi and except in filment consumers.	mangadasi da siyar in sidorman yan danin sahan madan yan yang	addinings, region as a sun destal policie (region), destal policie sun de la production de la company de la pr	
c. (solo s. 1 fe/) walk (cellerolerist doctoboles, callings grovers as days water as	CI-13 - HE ANNOMIC LAS SHOPPING SHAPPING ANNO 1988 SHAPPING SHAPPI			
X1X Cogle	$\underline{\mathbf{d}}_{2}$	_		
វិ.១	ouses in the center of	Soviet office	rs were billeted in	many private
ត	ordered black epaulets arracke installations	. mainly with t	ank insiemia, wara	billeted in
2.			s on the eastern pe	
	ity on the couth side	oardary Darraca	s on the eastern pe	Frimeter of the
	rolly on the south sine	or Szerneki St	rect. was occuried	hy transe who
1.1 1.1	ore red-bordered black ostablation was surrous	epaulets with nded by a brick	rect, was occupied tank insignia. The wall about 2.5 cet	by troops who barracks
i.	ore red-bordered black motallation was surroused or a small gap toward o	epaulets with nded by a brick Toerteli Street	rect, was occupied tank insignia. The wall about 2.5 met	by troops who barracks sers high, except
1 1 1 1 1 1	ore red-bordered black estallation was surrouser a small gap toward ? exracks buildings, 1 the eldiers in plateon stre	epaulets with nded by a brick Toerteli Street bree-story barn ength were seen	rect, was occupied tank insignia. The wall about 2.5 met. It consisted of Lacks building and marching toward by	by troops who barracks cers high, except two-story out-buildings.
i f b s	ore red-bordered black estallation was surrous or a small gap toward f exracks buildings, 1 tl oldiers in plateon stre bey were red-bordered h	epaulets with nded by a brick Toerteli Street bree-story barr ength were seen black spaulets	rect, was occupied tank insignia. The wall about 2.5 met. It consisted of Lacks building and marching toward About tank insignia.	by troops who barracks cers high, except two-story many out-buildings. only (Q 48/0 28).
រ វ ៦ ១ ១ 25X1D	ore red-bordered black setallation was surrous or a small gap toward farrocks buildings, 1 th cldiers in plateon stre hey were red-bordered h ith submachine gans, 1 left	epaulets with nded by a brick Toerteli Street bree-story barr ength were seen black epaulets ight machine gu the barracks in	rect, was occupied tank insignia. The wall about 2.5 met . It consisted of lacks building and marching toward Abwith tank insignians, and short riflestallation.	by troops who barracks two-story except two-story (Q 48/0 28). and were armed ess. SP suns
្រ វិ ១ ១ 25X1D ប	ore red-bordered black ustallation was surrou er a small gap toward f auracks buildings, 1 th cldiers in plateon stre hey were red-bordered h ith submachine guns, hi left t are observed in the bar	epaulets with nded by a brick Toerteli Street bree-story barrength were seen black epaulets ight machine gutthe barracks in rracks yard. wi	rect, was occupied tank insignia. The wall about 2.5 met . It consisted of Lacks building and rearching toward Abwith tank insignia may and short rifle stallation. Fighter the core SP cans are	by troops who barracks ers high, except two-story early out-buildings. only (Q 48/0 28), and were armed es. SP guns
25X1D Tr	ore red-bordered black setallation was surrous or a small gap toward factories buildings, 1 the cldiers in plateon stre cldiers in plateon stre ith submachine gans, 1; left the src observed in the bar a the installation. Sac ollers, 1 rear driving	epaulets with nded by a brick Toerteli Street bree-story barrength were seen black epaulets ight machine guthe barracks in rracks yard, with SP jun had 6 sprocket, a ri	rect, was occupied tank insignia. The wall about 2.5 met all tonsisted of backs building and marching toward Abwith tank insignians, and short riflestallation. Fightes the more SP cuns approach to be approximately to the superstructure of tank insignians approach to the superstructure.	by troops who barracks barracks bers high, except two-story early out-buildings. bony (Q 48/0 28), and were armed es. SP guns 25X earchly stored eack-supporting on the forward
25X1D Tr	ore red-bordered black setallation was surrous or a small gap toward factories buildings, 1 the cldiers in plateon stre cldiers in plateon stre cldiers in plateon stre ith submachine gans, li left the src observed in the bar a the installation. Sac ollers, 1 rear driving hird with 1 antenna, at	epaulets with nded by a brick Toerteli Street bree-story barrength were seen black epaulets ight machine guthe barracks in rracks yard, with SP jun had 6 sprocket, a ripoont 3 meters 1	rect, was occupied tank insignia. The wall about 2.5 met all tonsisted of backs building and marching toward Abwith tank insignia ms, and short riflestallation. Fightes the more SP cuns approved wheels, 3 trick superstructure ong, at the right s	by troops who barracks barracks bers high, except two-story early out-buildings. bony (Q 48/0 28), and were armed es. SP guns 25X earently stored eack-supporting on the forward dide, and a cun
25X1D TO TO THE POST OF THE PO	ore red-bordered black ustallation was surrous or a small gap toward lawracks buildings, I the claims buildings, I the claims between the submachine gams, I are observed in the base at the installation. Made ollers, I rear driving hird with I antenna, at more than 100 cm with two of the vehicle. No me	epaulets with nded by a brick Toerteli Street bree-story barr ength were seen black epaulets ight machine guthe barracks in rracks yard, wi sprocket, a ribout 3 meters la muzzle capmuzzle brake wa	rect, was occupied tank insignia. The wall about 2.5 met. It consisted of hacks building and marching toward Abwith tank insignians, and short riflestallation. Fightes the more SP cuns appropriate wheels, 3 trigid superstructure ong, at the right schich projected far noticed. Yany trust and instinctions of the control o	by troops who barracks barracks bers high, except two-story many out-buildings. bony (Q 48/0 28). and were armed so. SP guns 25X parently stored ack-supporting on the forward dide, and a gun boyond the cks were narked
25X1D TO TO THE PROPERTY OF TH	ore red-bordered black ustallation was surrous or a small gap toward lawracks buildings, I the claims buildings, I the claims between the submachine gams, I is see observed in the barach the installation. Made ollers, I rear driving hird with I antenna, at more than 100 mm with the barracks installation the barracks installation the barracks installation.	epaulets with nded by a brick Toerteli Street bree-story barr ength were seen black epaulets ight machine guthe barracks in rracks yard, with SP jun had 6 sprocket, a risport 3 meters 1 a muzzle capmuzzle brake wastion. The bill	rect, was occupied tank insignia. The wall about 2.5 met. It consisted of hacks building and marching toward Abwith tank insignians, and short riflestallation. Fightes the more SP cuns appropriate wheels, 3 trails appropriate the right superstructure ong, at the right such projected fars noticed. Many trusting capacity of setting capacity of	by troops who barracks barracks bers high, except two-story many out-buildings. bony (Q 48/0 28). and were armed as SP guns 25X barently stored ack-supporting on the forward dide, and a gun boyond the cas were parked the installation
25X1D To the state of the state	ore red-bordered black ustallation was surrouser a small gap toward lawracks buildings, I the claims in plateon street between the submachine gams, List the submachine gams, List the installation. Bacollers, I rear driving hird with I antenna, at more than 100 cm with the barracks installation setting the barracks installation settinated at 1,000 cm	epaulets with nded by a brick Toerteli Street bree-story barriength were seen black epaulets ight machine guthe barracks yard, with SP jun had 6 sprocket, a ripout 3 meters la a muzzle capmuzzle brake wastion. The bill men. Yotor vehi	rect, was occupied tank insignia. The wall about 2.5 met. It consisted of hacks building and marching toward Abwith tank insignians, and short riflestallation. Fightest hace SP cuns appropriate the more SP cuns appropriate to the configuration of the class observed there capacity of teles observed there	by troops who barracks barracks bers high, except two-story many out-buildings. bony (Q 48/0 28). and were armed so. SP guns 25X barractly stored tack-supporting on the forward dide, and a gun boyond the cks were parked the installation included ZIS
25X1D To the state of the state	cre red-berdered black metallation was surrous er a small gap toward larracks buildings, I the cldiers in plateon streethey were red-berdered hith submachine guns, little submachine driving hird with I antenna, at I more than 100 cm with more than 100 cm with more than 100 cm with the barracks installate estimated at 1,000 cm adio truck	epaulets with nded by a brick Toerteli Street bree-story barr ength were seen that barracks in tracks yard, with the barracks in tracks yard, with SP jun had 6 sprocket, a ripont 3 meters 1 a muzzle capmuzzle brake wa attach. The bill becomied by an loccupied by an loccupied by a brick tracks with the security of the brake was a becomied by an loccupied by a brake was a becomied by a brake was a becomied by a brake was a becomied by a brake was a	rect, was occupied tank insignia. The wall about 2.5 met. It consisted of Lacks building and rearching toward Abwith tank insignia may and short rifle stallation. Fightes the more SP cuns appropriate the rectangular cong, at the right schick projected fars noticed. Many trusting capacity of teles observed there officer wearing redd by schdiers wearing redd by schdiers wearing	by troops who barracks barracks bers high, except two-story many out-buildings. bony (Q 48/0 28). and were armed so. SP guns 25X barractly stored back-supporting on the forward dide, and a gun beyond the cks were parked the installation included ZIS—bordered black of red-bordered
25X1D To the state of the state	cre red-berdered black setallation was surrous er a small gap toward of excacks buildings, I the cldiers in plateon stre hey were red-berdered be ith submachine guns, li left the sre observed in the bar a the installation. Bac cllers, I rear driving hird with I antenna, abe I more than 100 rm with the barracks installation the barracks installation and the barrack installation addio truck paulets; ZIC truck lack epaulets; old Dies	epaulets with nded by a brick Toerteli Street bree-story barr ength were seen clack epaulets ight machine gu the barracks in rracks yard, wi ch SP jun had 6 sprocket, a ri boost 3 meters 1 n a muzzle cap muzzle brake wa ation. The bill cocupied by an cocupied by an sell truck officers; and fi	rect, was occupied tank insignia. The wall about 2.5 met. It consisted of la acks building and marching toward Abwith tank insignians, and short riflestallation. Fightest harmone SP cuns appropriate wheels, 3 tracid superstructure ong, at the right swhich projected fars noticed. Yany trusting capacity of teles observed there officer wearing red by soldiers wearing each drives on the soldiers wearing each drives of the soldiers wearing red the soldiers wearing red drives of the soldiers wearing red dri	by troops who barracks hers high, except two-story many out-buildings. only (Q 48/0 28). and were armed as. SP Juns 25X marently stored tack-supporting on the forward he installation included ZIS—bordered black in red-bordered C gear; truck in by a soldier
25X1D	cre red-berdered black setallation was surrous er a small gap toward for a small gap to some street of the submachine gaps, life for the installation. Note that it is a small gap to small g	epaulets with nded by a brick Toerteli Street bree-story barr ength were seen clack epaulets ight machine gu the barracks in rracks yard, wi ch SP jun had 6 sprocket, a ri boost 3 meters 1 n a muzzle cap muzzle brake wa ation. The bill cocupied by an cocupied by an sell truck officers; and ju lack epaulets w	rect, was occupied tank insignia. The wall about 2.5 met. It consisted of la acks building and marching toward Abwith tank insignians, and short riflestallation. Fightest harmone SP cuns appropriate wheels, 3 tracid superstructure ong, at the right swhich projected fars noticed. Yany trusting capacity of teles observed there officer wearing red by soldiers wearing each drives on the soldiers wearing each drives of the soldiers wearing red the soldiers wearing red drives of the soldiers wearing red dri	by troops who barracks barracks barracks bers high, except to two-story lany out-buildings. Sony (Q 48/0 28). The second were armed land were armed land were armed land land land land land land land lan
25X1D To the state of the state	ore red-bordered black setallation was surrous or a small gap toward a small gap toward a scrucks buildings, 1 the help wore red-bordered hith submachine gans, hith submachine gardines, here driving hird with 1 antenna, and more than 100 cm with the barracks installates estimated at 1,000 cm and the barracks installates are estimated at 1,000 cm and the b	epaulets with nded by a brick Toerteli Street breet street breet street breet street bare ength were seen black epaulets in the barracks in tracks yard, with the barracks yard, with the barracks yard, with sprocket, a rispont 3 meters 1 a muzzle capmuzzle brake wastion. The bill men. Fotor vehicle breet brack enaulets in the been absolute the been absolute the breet street brack enaulets in the been absolute the breet street street breet street breet b	rect, was occupied tank insignia. The wall about 2.5 met. It consisted of lacks building and marching toward Abwith tank insignians, and short riflestallation. Mightestallation. Many true ong, at the right swhich projected fars noticed. Many trueting capacity of teles observed thereofficer wearing red by soldiers wearing red by soldiers wearing and with a hoisting with tank insignia. [ant from its post for the sale of the mits post for mits post fo	by troops who barracks barracks barracks bers high, except two-story any out-buildings. bony (Q 48/0 28). and were armed as. SP guns 25X barently stored back-supporting on the forward belies, and a gun beyond the cks were parked the installation included ZIS—bordered black and red-bordered grear; truck a by a soldier 25X or several days
25X1D To the state of the state	cre red-berdered black setallation was surrous er a small gap toward farricks buildings, 1 th eldiers in plateen stre hey were red-berdered h ith submachine guns, hi left to see the installation. Nace collers, 1 rear driving hird with 1 antenna, and funce than 100 cm with the barracks installate as estimated at 1,000 cm adio truck coupled by companied by	epaulets with nded by a brick Toerteli Street bree-story barrength were seen black epaulets ight machine guthe barracks yard, with the barracks yard, with sprocket, a ripout 3 meters 1 a muzzle capmuzzle brake wastion. The bill men. Fotor vehiculated by an coupied by an accupied by an accup	rect, was occupied tank insignia. The wall about 2.5 met. It consisted of Lacks building and mearching toward Abwith tank insignia ans, and short rifle stallation. Fightes the more SP cuns appropriate wheels, 3 trgid superstructure ong, at the right swhich projected far senoticed. Many trusting capacity of teles observed there officer wearing red by soldiers wearing with a hoisting that insignia. Sent from its post feerwed in the barraget. The installation	by troops who barracks bers high, except two-story many out-buildings. Sony (Q 48/0 28). and were armed as. SP Juns 25X marently stored mack-supporting on the forward mide, and a gun beyond the cks were parked the installation included ZIS—tordered black mg red-bordered g gear; truck n by a soldier 25X or several days
25X1D	cre red-berdered black setallation was surrous or a small gap toward of acracks buildings, I the cldiers in plateon street hey were red-berdered he ith submachine gams, li sere observed in the bar at the installation. Nace others, I rear driving hird with I antenna, alt of sore than 100 cm with bow of the vehicle. No can be barracks installated at 1,000 cm adio truck adio truck considered by considered by accupied by constallation were red-bordered bl count one week carlier. Soviet troop the normal side of the normal side of the wire fence mounted	epaulets with nded by a brick Toerteli Street street street ength were seen black epaulets ight machine guthe barracks yard, with SP un had 6 sprocket, a ribout 3 meters 1 a muzzle brake wa ation. The bill men. Fotor vehicle brake was sel truck forcers; and just had been absets were also ob. Toerteli Street on a concrete of truck on a concrete street.	rect, was occupied tank insignia. The wall about 2.5 met. It consisted of Lacks building and marching toward Abwith tank insignians, and short rifle stallation. Fightes the more SP cuns appropriet wheels, 3 trgid superstructure ong, at the right swhich projected far so noticed. Yany trusting capacity of teles observed there officer wearing red by soldiers wearing red by soldiers wearing the tank insignia. Sent from its post for the installation was confiders. The installation was confiders considered in the barracet. The installation was confiders continued to the confiders of the constallation was confiders continued to the confiders of the confiders wearing red to the confiders wearing red to the confiders wearing red to the confiders of the	by troops who barracks barracks barracks bers high, except to two-story hany out-buildings. For the second of the second were armed seck-supporting on the forward fide, and a gun beyond the cks were parked the installation included ZIS—bordered black in pred-bordered grear; truck in by a soldier 25X or several days
25X1D	cre red-berdered black metallation was surrous or a small gap toward arracks buildings, I to cldiers in plateon streethey were red-berdered hith submachine guns, little submachine submachine little submachine submachine guns estimated at 1,000 m with the barracks installates estimated at 1,000 m with guns estimated at 1,000 m the unit occupied by continuous one week earlier. Soviet troop is the northeast side of a wire fence mounted ad left one of the builting. Fourteen T-3h tanks	epaulets with need by a brick Toerteli Street bree-story barry ength were seen the barracks in tracks yard, with serious 3 meters 1 a muzzle capmuzzle brake wa ation. The bill men. Fotor vehicled by an cocupied by an accupied by an	rect, was occupied tank insignia. The wall about 2.5 met. It consisted of Lacks building and marching toward Abwith tank insignians, and short riflestallation. Fightestallation. Fightestallation fightestallation fightestallation. Fightestallation fightestallation. Fightestallation fightestallat	by troops who barracks bers high, except two-story any out-buildings. only (Q h8/0 28). and were armed see. SP suns 25X barently stored eack-supporting on the forward side, and a gun beyond the cks were parked the installation included ZIS-bordered black no red-bordered grear; truck n by a soldier 25X or several days cks installation was surrounded inwally entered cuarters build-
25X1D	cre red-berdered black setallation was surrous er a small gap toward for a set observed in the bar a the installation. Sacollers, I rear driving hird with I antenna, at more than 100 cm with the barracks installation truck the barracks installation truck the barracks installation truck to coupled by considered by considered by considered the constallation of the minimum of the more red-bordered black epaulets; ZIS truck the united the formation of the fourteen Table tanks the corresponding. Fourteen Table tanks to the course of the publication of the fourteen Table tanks the corresponding to the course of the publication of the fourteen Table tanks the course of the cours	epaulets with need by a brick Toerteli Street bree-story barriength were seen tolack epaulets ight machine guithe barracks yard, with the barracks yard, with the series of a muzzle capmuzzle brake wastion. The bill men. Fotor vehicle officers; and just that been absets were also obtoerteli Street on a concrete dings, which see without muzzle without muzzle without muzzle.	rect, was occupied tank insignia. The wall about 2.5 met. It consisted of Lacks building and marching toward Abwith tank insignians, and short riflestallation. Fightestallation. Fightestallation fightestallation fightestallation. Fightestallation fightestallation. Fightestallation fightestallat	by troops who barracks bers high, except two-story any out-buildings. only (Q h8/0 28). and were armed see. SP suns 25X barently stored eack-supporting on the forward side, and a gun beyond the cks were parked the installation included ZIS-bordered black no red-bordered grear; truck n by a soldier 25X or several days cks installation was surrounded inwally entered cuarters build-
25X1D	cre red-berdered black setallation was surrous er a small gap toward for a set observed in the bar a the installation. Sacollers, I rear driving hird with I antenna, at more than 100 cm with the barracks installation truck the barracks installation truck the barracks installation truck to coupled by considered by considered by considered the constallation of the minimum of the more red-bordered black epaulets; ZIS truck the united the formation of the fourteen Table tanks the corresponding. Fourteen Table tanks to the course of the publication of the fourteen Table tanks the corresponding to the course of the publication of the fourteen Table tanks the course of the cours	epaulets with need by a brick Toerteli Street bree-story barriength were seen tolack epaulets ight machine guithe barracks yard, with the barracks yard, with the series of a muzzle capmuzzle brake wastion. The bill men. Fotor vehicle officers; and just that been absets were also obtoerteli Street on a concrete dings, which see without muzzle without muzzle without muzzle.	rect, was occupied tank insignia. The wall about 2.5 met. It consisted of Lacks building and marching toward Abwith tank insignians, and short riflestallation. Fightestallation. Fightestallation fightestallation fightestallation. Fightestallation fightestallation. Fightestallation fightestallat	by troops who barracks bers high, except two-story any out-buildings. only (Q h8/0 28). and were armed see. SP suns 25X barently stored eack-supporting on the forward side, and a gun beyond the cks were parked the installation included ZIS-bordered black no red-bordered grear; truck n by a soldier 25X or several days cks installation was surrounded inwally entered cuarters build-
25X1D	cre red-berdered black setallation was surrous er a small gap toward for a set observed in the bar a the installation. Sacollers, I rear driving hird with I antenna, at more than 100 cm with the barracks installation truck the barracks installation truck the barracks installation truck to coupled by considered by considered by considered the constallation of the minimum of the more red-bordered black epaulets; ZIS truck the united the formation of the fourteen Table tanks the corresponding. Fourteen Table tanks to the course of the publication of the fourteen Table tanks the corresponding to the course of the publication of the fourteen Table tanks the course of the cours	epaulets with need by a brick Toerteli Street bree-story barriength were seen tolack epaulets ight machine guithe barracks yard, with the barracks yard, with the series of a muzzle capmuzzle brake wastion. The bill men. Fotor vehicle officers; and just that been absets were also obtoerteli Street on a concrete dings, which see without muzzle without muzzle without muzzle.	rect, was occupied tank insignia. The wall about 2.5 met. It consisted of Lacks building and marching toward Abwith tank insignians, and short riflestallation. Fightestallation. Fightestallation fightestallation fightestallation. Fightestallation fightestallation. Fightestallation fightestallat	by troops who barracks barracks barracks bers high, except two-story any out-buildings. only (Q 48/0 28). and were armed so. SP guns 25X barently stored back-supporting on the forward side, and a gun beyond the cks were parked the installation included ZIS—bordered black no red-bordered gear; truck n by a soldier 25X or several days cks installation n was surrounded invaily entered quarters build—oups of parked
25X1D	cre red-berdered black setallation was surrous er a small gap toward for a set observed in the bar a the installation. Sacollers, I rear driving hird with I antenna, at more than 100 cm with the barracks installation truck the barracks installation truck the barracks installation truck to coupled by considered by considered by considered the constallation of the minimum of the more red-bordered black epaulets; ZIS truck the united the formation of the fourteen Table tanks the corresponding. Fourteen Table tanks to the course of the publication of the fourteen Table tanks the corresponding to the course of the publication of the fourteen Table tanks the course of the cours	epaulets with need by a brick Toerteli Street bree-story barriength were seen tolack epaulets ight machine guithe barracks yard, with the barracks yard, with the series of a muzzle capmuzzle brake wastion. The bill men. Fotor vehicle officers; and just that been absets were also obtoerteli Street on a concrete dings, which see without muzzle without muzzle without muzzle.	rect, was occupied tank insignia. The wall about 2.5 met. It consisted of hacks building and marching toward Abwith tank insignians, and short riflestallation. Mightestallation. Mightestallation. Mightestallation. Mightestallation. Mightestallation. Mightestallation. Mightestallation wheels, 3 tr. gid superstructure ong, at the right schich projected fars noticed. Many trusting capacity of teles observed thereofficer wearing red by soldiers wearing aby soldiers wearing and from its post feath tank insignia. Sent from its post feath tank installation case. Officers contured to be the header brakes and two grants.	by troops who barracks barracks barracks bers high, except to two-story hany out-buildings. For the second of the second were armed seck-supporting on the forward bide, and a gun beyond the cks were parked the installation included ZIS-bordered black of red-bordered c gear; truck of by a soldier cest installation was surrounded inwally entered quarters build-oups of parked
25X1D	cre red-berdered black setallation was surrous er a small gap toward for a small gap for a wire fence rounted as for the northeast side of a wire fence rounted as for a wire seen in the rocks were seen in the strucks were seen in the	epaulets with need by a brick Toerteli Street bree-story barriength were seen tolack epaulets ight machine guithe barracks yard, with the barracks yard, with the series of a muzzle capmuzzle brake wastion. The bill men. Fotor vehicle officers; and just that been absets were also obtoerteli Street on a concrete dings, which see without muzzle without muzzle without muzzle.	rect, was occupied tank insignia. The wall about 2.5 met. It consisted of hacks building and marching toward Abwith tank insignians, and short riflestallation. Mighteeth more SP cuns apply bogic wheels, 3 trgid superstructure ong, at the right swhich projected fars noticed. Many trusting capacity of teles observed there officer wearing redd by schdiers wearing redd by schdiers wearing and from its post feet. The installation case. Officers contared to be the header brakes and two grants.	by troops who barracks barracks barracks bers high, except to two-story lany out-buildings. Sony (Q 48/0 28). The second were armed set. SP Suns serently stored back-supporting on the forward side, and a gun beyond the cks were parked the installation included ZIS—bordered black no red-bordered gear; truck n by a soldier cas surrounded invally entered quarters build—oups of parked 25X
25X1D	cre red-berdered black setallation was surrous er a small gap toward for a set observed in the bar a the installation. Sacollers, I rear driving hird with I antenna, at more than 100 cm with the barracks installation truck the barracks installation truck the barracks installation truck to coupled by considered by considered by considered the constallation of the minimum of the more red-bordered black epaulets; ZIS truck the united the formation of the fourteen Table tanks the corresponding. Fourteen Table tanks to the course of the publication of the fourteen Table tanks the corresponding to the course of the publication of the fourteen Table tanks the course of the cours	epaulets with need by a brick Toerteli Street bree-story barriength were seen tolack epaulets ight machine guithe barracks yard, with the barracks yard, with the series of a muzzle capmuzzle brake wastion. The bill men. Fotor vehicle officers; and just that been absets were also obtoerteli Street on a concrete dings, which see without muzzle without muzzle without muzzle.	rect, was occupied tank insignia. The wall about 2.5 met. It consisted of hacks building and marching toward Abwith tank insignians, and short riflestallation. Mightestallation. Mightestallation. Mightestallation. Mightestallation. Mightestallation. Mightestallation. Mightestallation wheels, 3 tr. gid superstructure ong, at the right schich projected fars noticed. Many trusting capacity of teles observed thereofficer wearing red by soldiers wearing aby soldiers wearing and from its post feath tank insignia. Sent from its post feath tank installation case. Officers contured to be the header brakes and two grants.	by troops who barracks barracks barracks bers high, except to two-story lany out-buildings. Sony (Q 48/0 28). The second were armed land were armed land were armed land land land land land land land lan

		Tank trucks were parked in an open shed. The installation included a repair shep. Vehicles which successively left the installation toward Toertel (Q h2/0 17) during the morning included: 2 sidecar metorcycles, each occupied by 3 men, with a light machine gun in each sidecar; 2 sidecar metorcycles	
25X1		having four pneumatic tires, a small radiator and a rigid open-topped body with three rectangular apertures on its side and a canvas-covered gun, probably a machine gun, above the driver's seat. I does not a canvas-covered gun,	
		2 armored vehicles of the type described above, moving at a speed of 40 to 50 km/h; 4 sidecar metercycles, 1 275 radio truck, 2 armored vehicles	
		programatic tires and a revolving angular turnet with a machine gun of 10 to	
2	25X1	cabin; 1 sidecar motorcycle, 1 jeep, 4 T-34 tanks	25X1
2	25X1D	an antenna; 2 trucks with field kitchens. kadio truck and trucks were identified in the convoy. 25X1D	
	ļ.,,		25X1
		Gnoev (fnu), assistant to the commander of the clovaya railroad station, and Lieutenant Dubrovin (fnu), of the RTO patrol at the clovaya railroad station.	
	Szo	Inch.	
	Š.	On 26 July, Soviet troops wearing red-bordered black epaulets were observed in the barracks installation on the east bank of the Zagyva River, southeast of the railroad bridge across the river, and opposite the tuberculosis sanatorium. Fort of the soldiers were tank insignia. The barracks installation was surrounded by a barbed-wire fence more than 2 meters high. Six T-34 tanks, 3 armored vehicles, and 2 small armored recommaissance cars of the same type as those seen in Cegled were observed in the barracks yard. Motor vehicles were parked in various places of the billeting area. There was intensive activity in the billeting area. A band was playing and about 200 soldiers received close-order drill. Trucks driven by soldiers received red-bordered black epaulets with tank insignia, were identified at the barracks installation. (1)	7 25X1
25X1	x1D ₆ 。 [Track occupied by two soldiers who were black-bordered black epaulets and red-bordered black epaulets; and jeep driven by a soldier wearing black-bordered black epaulets, were observed in the town area. Street in the town center, was also occupied by Soviet troops. No information on this barracks installation could be gathered. (2)	25X1D
25	7 » 5X1D	Then passing through Hajmasker (P h8/D 79) on 30 July, truck perked in front of the railroad station. (3)	
25>	(1A: [Cornent. The barracks installation east of the Zagrva River was	
25)	X1A;	Gorment. Confirm that Certed and	25X1
25X1		Apotlon AMA range since June 1951. The present report confirms vague reports previously received It is therefore believed	25X1
		chat the Cavalry Barracks in Carled is occupied by units which include the	25X1
		(Alla,	

heavy tank SP regiment and the barracks installation on Toertoli Street by units which include a mechanized regiment. The barracks installation southeast of the railroad bridge in Szolnok appears to be occupied by units which include a mechanized regiment. The occupation of the barracks installation on Miklos Street, Szolnok, has not been determined.

133

25X1D

CONFIDERTIAL

25X1